





# Table of Contents

Chromatic I Embossments	1
Chromatic I Colors	2
Alloy, Set In Stone	4
Roccia, Travertino	5
Up Down, Sequoia	6
Volans, Northern Lights	7
Saturn, Orbital	8
Mod Linen, Mod	9
Pacific Silk, Donegal Tweed	10
Catalina Linen, Bamboo Forest	11
Dakota Grasscloth, Moroccan Octagon	12
Swiss Ribbon, New England Willow	13
Essentials I, Essentials II	14
Essentials III, Essentials IV	15
Keeping It Clean and Hygienic	
Specifications	17
Custom Design	18
Wallcoverings Conversions	19





## CHROMATIC I **EMBOSSMENTS**

The Chromatic I Series is a Type II, **Made to Order** Collection that allows you to choose an embossment and a color, creating 420 combinations. With a 4 week lead time and a minimum quantity of 100 linear yards, you can customize most any project.


Colors can be viewed on page 2.



**Vertical Silk Emboss** 01



02





**Mid-Weave Emboss** 



**Small Weave Emboss** 05



06



## CHROMATIC I COLORS

The Chromatic I Series is a Type II,


Made to Order Collection that allows
you to choose an embossment and a
color, creating 420 combinations. With
a 4 week lead time and a minimum
quantity of 100 linear yards, you can
customize most any project.

Embossments can be viewed on page 1.




## CHROMATIC I COLORS (continued)




















**Midnight** • D15543704

### ORBITAL

TEDLAR™ WALLCOVERING TYPE II (20 OZ. / LIN. YD.)

Stocked



**Twilight** • D15543705





**Dusk** • D15543707



**Dawn** • D15543708
















TEDLAR™ WALLCOVERING TYPE II (20 OZ. / LIN. YD.) Stocked









**Almond** • D15529406




**Nutmeg •** D15529408




Mocha • D15529404






















# Reeping it clean and hygienic. WHAT YOU NEED TO KNOW.

Whether it's germs, permanent marker, or chocolate sauce, maintaining pristine walls can be a challenge for some, but not for Endure Walls™ Tedlar™ Wallcoverings. For more than 50 years, DuPont™ Tedlar® PVF technology has been a leader in the industry for protective surfaces and is now applying this proven technology to wallcoverings. With Endure Walls™ Tedlar™ Wallcovering, we have the classic designs you love as well as the cleanability, durability, and affordability you need to maximize your projects and business.







### TYPE I AND TYPE II TEDLAR™ WALLCOVERINGS THAT EXCEED TYPE III DURABILITY

- Bacteria, Mold, and Mildew Resistant. Tedlar<sup>™</sup> Wallcoverings are not degraded by bacteria, mold, or mildew and do
  not provide nutrients to assist growth. It's so good it's Greenguard Mold validated.
- Chemical Resistant. Because Tedlar™ Wallcoverings hold up to bleach, alcohol, and alkalis cleaners, you can disinfect easily. Proven to withstand 30 years in a high-traffic area of a hospital and still look like new.
- **Hygienic.** Tedlar™ Wallcoverings' ability to stand up to the harshest cleaning chemicals means you have easy-to-clean walls that will assist in maintaining a hygienic environment for years to come.
- **Stain Proof.** The chart on the back indicates various stains that are likely to be encountered in high-traffic areas and lists the most effective cleaning agents for easy removal. Repeated heavy cleaning does not affect Tedlar™ Wallcoverings.
- Indoor Air Quality. Tedlar™ Wallcoverings are Greenguard Gold IAQ certified. It meets strict chemical emissions limits and has been tested for more than 10,000 chemicals making it perfect for all your projects, including schools and healthcare facilities with sensitive individuals.









### WE HAVE YOU COVERED

For over 30 years, we have maintained a partnership with DuPont<sup>™</sup> that continues to grow today. As a result, all of Endure Walls<sup>™</sup> DuPont<sup>™</sup> Tedlar<sup>™</sup> Wallcoverings are manufactured and stocked in the United States and ready to ship immediately anywhere in the North America, Latin America, and European markets.

At Endure Walls, our National Commercial Account Executives are available to assist you with all of your design needs, customer service, accounting, warehouse, and logistical demands that will guarantee top-level service for all of your requests and projects.

No multiple distribution. Endure Walls,<sup>™</sup> being the single-source supplier, leaves you with the confidence that wherever your project is located, you will receive the same pricing, quality, and service you demand!

### DESIGN AND DURABILITY

Endure Walls™ Tedlar™ Wallcoverings will give you the design you need with the durability you want to maximize your projects and business.

- DuPont<sup>™</sup> Tedlar<sup>®</sup> offers stocked exclusive wallcovering series with new launches each quarter
- USA-manufactured product
- Easy 1,2,3 Custom Design and Color Program
- · Type I and Tedlar™ Wallcovering Type II that exceeds Type III durability
  - Stain proof
     Mold, mildew, bacteria,
     Abrasion resistant
     MRSA, E. coli resistant
  - Chemical resistant
     UV resistant
- Exceeds ASTM E84 Class A Fire Rating

### **SUSTAINABILITY**

- · Greenguard Gold IAQ (Indoor Air Quality)
- · Greenguard Mold Validated (Does Not Support Mold Growth)
- HPD (Health Product Declaration)
- Produced using water-based, nontoxic ink, and adhesives combined with low VOC emitting films. No heavy metals or ozone-depleting chemicals are used in the manufacturing process.

## DuPont Tedlar Wallcoverings

### **SPECIFICATIONS**

### Type II Product Specifications

Type Tedlar™ Wallcovering - Type II

Weight 20 oz./ lin. yd. | 620.1 g./ lin. m.

Width 52" - 54" | 132.08 cm. - 137.16 cm.

Length 30 lin. yd. 27.432 lin. m.

Finish Tedlar® Film Backing Nonwoven

Flame Resistance Passes ASTM E84 Class A

Stain Resistance Exceeds Stain Resistance Test CCC-W-408D

Abrasion Resistance Meets Type III Abrasion Resistance CCC-W-408D

Scrubbability Meets Type III Scrubbability CCC-W-408D

Microbial Resistant Passes ASTM G21 and JIS Z 2801

### Type I Product Specifications

Type Tedlar™ Wallcovering - Type I

Weight 15 oz./lin. yd. 465.1 g./lin. m.

Width 52" - 54" | 132.08 cm. - 137.16 cm.

Length 30 lin. yd. | 27.432 lin. m.

Finish Tedlar® Film
Backing Osnaburg

Flame Resistance Passes ASTM E84 Class A

Stain Resistance Exceeds Stain Resistance Test CCC-W-408D

Abrasion Resistance Meets Type III Abrasion Resistance CCC-W-408D

Scrubbability Meets Type III Scrubbability CCC-W-408D

Microbial Resistant Passes ASTM G21 and JIS Z 2801



## Custom Design MAKING YOUR DESIGNS A REALITY

With Endure Walls<sup>™</sup> DuPont<sup>™</sup> Tedlar<sup>™</sup> Wallcovering's custom design option, you can bring your ideas to life while maintaining budget and getting the durability you demand. The options are endless — any design or color. Show us your creativity!

### THE STEPS ARE SIMPLE

- **GET INSPIRED** Supply photos, patterns, anything that we need to create a unique pattern
- WHEN MAKING A SUBMISSION Share your ideas and project details with us, and that will allow us to provide you with the design of your dreams
- **QUANTITY AND TIMELINE** Provide us with an estimated quantity and timeline when wallcovering is needed
- CREATION With your inspiration and needs in mind, a professional will begin the process
  of transferring them into a finished wallcovering reality
- **SAMPLE** You will have a prototype sample in hand within 10-15 business days to review
- MANUFACTURING Manufactured in 4-6 weeks of approval (may vary by design)

# Wallcovering Conversions

### COMMERCIAL GOODS (52"/54")

**Linear yard** =  $13.5 \text{ sf } (4.5' \times 3')$ 

Square yard =  $9 \text{ sf } (3' \times 3')$ 

**Roll** = 30 linear yards

Coverage per 30 yard roll = 405 sf

### CONVERSIONS (52"/54")

### **Figuring Square Footage:**

· Length of wall multiplied by height of wall

### **Convert Square Feet to Linear Yards:**

- Divide total square footage by 13.5 = Number of yards
- Divide by 12 to include waste or 9 for patterns with large repeats

### **Convert Square Yards to Linear Yards:**

- Multiply square yard quantity by 9, then divide the result by 13.5
- Divide by 12 to include waste or 9 for patterns with large repeats

### Convert to Square Yards:

• Divide number of linear yards by 13.5, then multiply result by 9

#### Convert Linear Feet to Linear Yards:


• Divide number of linear feet by 3 = Number of linear yards

### **Convert Square Meters to Square Yards:**

• 1 square meter = 1.19599 square yards

### **Price per Square Foot Conversions:**

Divide the price per linear yard by 13.5 = Price per SF
 (Use to compare costs to paint or tile that is priced by the square foot.)



### HOW TO CALCULATE THE DIMENSIONS OF YOUR WALLS

### Calculation for Square Feet to Linear Yards (52"/54" Wide)

- 1. Multiply width by height of wall = Total square feet (per wall)
- 2. Repeat Step 1 per wall needing wallcovering
- 3. Add together total square feet of ALL wall measurements = Total square feet of project
- 4. Total square feet of project and divide by factor:

13.5 = N0 waste/overage

12 = Waste/overage added

9 = Large repeat (18" or larger)

5. Calculation in Step 4 = Total linear yards for project

### Dividing Factors for Wallcovering (52"/54" Wide)

- 1. 13.5 = Total of wallcovering (No overage or waste)
- 2. 12 = Total of wallcovering (Includes waste)
- 3. 9 = Total of wallcovering with large repeat (18" or more)

### Calculation for Square Meter to Linear Yards (52"/54" Wide)

- 1. Square meter multiplied by 1.19599 = Total square yards
- 2. Total square yards multiplied by 9, then divide by factor 12 = Total linear yards (Dividing by factor 12 includes waste)

Endure Walls by Tedlar we DO WHAT OTHERS CANNOT.

www.endurewalls.com