



 *Endure*walls™ BY TEDLAR®
Style That Endures

DuPont™ Tedlar™ Wallcoverings

Style that Endures

Endure Walls™ is North America, Latin America, and Europe's only source and supplier of DuPont™ Tedlar™ Wallcoverings. Designed with designers, architects, property owners, hospitality, and facility managers in mind, these wallcoverings are artistically pleasing, hygienic, stain proof, and the most abrasion and chemical resistant Type I and Type II Vinyl Wallcoverings available. Having met Greenguard Gold Indoor Air Quality and Greenguard Mold requirements, Endure Walls™ Tedlar™ Wallcoverings give you the peace of mind that your designs will stand up to the strictest sustainability and sanitary demands. All of this combined with our timeless, fresh look and low maintenance costs give you the durability, cleanability, and affordability your space deserves.





Table of Contents

Pacific Silk.....	1
Donegal Tweed	3
Catalina Linen	5
Dakota Grasscloth	7
Moroccan Octagon	9
Bamboo Forest.....	11
New England Willow	13
Swiss Ribbon	15
Essentials I	17
Essentials II.....	19
Custom Wallcovering	21
Specifications.....	22
Keeping It Clean and Hygienic.....	23
Cleanability Chart	24
Wallcoverings Conversions.....	25



PACIFIC SILK

TEDLAR™ WALLCOVERING - TYPE II (20 OZ. / LIN. YD.)
TO SEE MORE DETAILS, PLEASE REFER TO PAGE 22.

PACIFIC SILK



Cedar
D15529422



Spruce
D15529419



Latte
D15529420



Mineral
D15529425




Ice
D15529421



Aluminum
D15529423



Pearl
D15529424



Cashew
D15529426




Caramel
D15529427




DONEGAL TWEED


TEDLAR™ WALLCOVERING - TYPE II (20 OZ. / LIN. YD.)
TO SEE MORE DETAILS, PLEASE REFER TO PAGE 22.



Thyme
D15529432




Polar
D15529428




Oat
D15529429



Driftwood
D15529430



Lemongrass
D15529433



Carbon
D15529431



Marlin
D15529434



DONEGAL TWEED




CATALINA LINEN

TEDLAR™ WALLCOVERING - TYPE II (20 OZ. / LIN. YD.)
TO SEE MORE DETAILS, PLEASE REFER TO PAGE 22.


CATALINA LINEN



Pebble
D15529410



Slate
D15529414




Dune
D15529411




Brick
D15529418




Wheat
D15529417



Aloe
D15529413



Fog
D15529416



Riverbed
D15529412



Basil
D15529415



DAKOTA GRASSCLOTH

TEDLAR™ WALLCOVERING - TYPE II (20 OZ. / LIN. YD.)
TO SEE MORE DETAILS, PLEASE REFER TO PAGE 22.



Meadow
D15529383



Mist
D15529381



Pewter
D15523242



Chestnut
D15529382



Eggshell
D15529386



Marble
D15523241



Navy
D15523243



Oyster
D15523240



Denim
D15529384



Moss
D15529385



DAKOTA GRASSCLOTH



MOROCCAN OCTAGON

TEDLAR™ WALLCOVERING - TYPE II (20 OZ. / LIN. YD.)
TO SEE MORE DETAILS, PLEASE REFER TO PAGE 22.

MOROCCAN OCTAGON



Navy
D15523233



Oyster
D15523197




Marble
D15523231



Meadow
D15523236



Pewter
D15523232



Mist
D15523234




Eggshell
D15523239



Chestnut
D15523235



Denim
D15523237



Moss
D15523238



BAMBOO FOREST

TEDLAR™ WALLCOVERING - TYPE II (20 OZ. / LIN. YD.)
TO SEE MORE DETAILS, PLEASE REFER TO PAGE 22.



Feather
D15529402



Mint
D15529407



Forest
D15529405



Nickle
D15529403



Golden
D15529409



Almond
D15529406



Mocha
D15529404



Nutmeg
D15529408









BAMBOO FOREST



NEW ENGLAND WILLOW

TEDLAR™ WALLCOVERING - TYPE II (20 OZ. / LIN. YD.)
TO SEE MORE DETAILS, PLEASE REFER TO PAGE 22.

NEW ENGLAND WILLOW





SWISS RIBBON

TEDLAR™ WALLCOVERING - TYPE II (20 OZ. / LIN. YD.)
TO SEE MORE DETAILS, PLEASE REFER TO PAGE 22.



Hearth
D15529396



Fawn
D15529393



Dove
D15529394



Sage
D15529399



Pistachio
D15529395




Bisque
D15529397



Graphite
D15529398



Parchment
D15529400



Mahogany
D15529401




SWISS RIBBON



ESSENTIALS I

TEDLAR™ WALLCOVERING - TYPE I (15 OZ. / LIN. YD.)
TO SEE MORE DETAILS, PLEASE REFER TO PAGE 22.

ESSENTIALS I




White
D15537050



Sand
D15537044



Ash
D15539203



Warm Grey
D15537053



Charcoal
D15539204




ESSENTIALS II

TEDLAR™ WALLCOVERING - TYPE I (15 OZ. / LIN. YD.)
TO SEE MORE DETAILS, PLEASE REFER TO PAGE 22.



ESSENTIALS II



Custom Design

MAKING YOUR DESIGNS A REALITY

With Endure Walls™ Tedlar™ Wallcovering's custom design option, you can bring your ideas to life while maintaining budget and getting the durability you demand. The options are endless – any design or color. Show us your creativity!

THE STEPS ARE SIMPLE

- **GET INSPIRED** Supply photos, patterns, anything that we need to create a unique pattern
- **WHEN MAKING A SUBMISSION** Share your ideas and project details with us, and that will allow us to provide you with the design of your dreams
- **QUANTITY AND TIMELINE** Provide us with an estimated quantity and timeline when wallcovering is needed (Minimum custom quantity is 100 linear yards)
- **CREATION** With your inspiration and needs in mind, a professional will begin the process of transferring them into a finished wallcovering reality
- **SAMPLE** You will be supplied with a prototype sample to review the design and color
- **MANUFACTURING** Custom Tedlar™ Wallcovering will be manufactured once the final sample is approved and the Purchase Order is placed (Timeline of sampling and manufacturing varies with each custom design and quantity)

If mock-up material is needed prior to approval, the minimum mock-up order is 100 linear yards.

WE HAVE YOU COVERED

For over 30 years, we have maintained a partnership with DuPont™ that continues to grow today. As a result, all of Endure Walls™ DuPont™ Tedlar™ Wallcoverings are manufactured and stocked in the United States and ready to ship immediately anywhere in the North America, Latin America, and European markets.

At Endure Walls™, our National Commercial Account Executives are available to assist you with all of your design needs, customer service, accounting, warehouse, and logistical demands that will guarantee top-level service for all of your requests and projects.

No multiple distribution. Endure Walls™, being the single-source supplier, leaves you with the confidence that wherever your project is located, you will receive the same pricing, quality, and service you demand!

DESIGN AND DURABILITY

Endure Walls™ Tedlar™ Wallcoverings will give you the design you need with the durability you want to maximize your projects and business.

- DuPont™ Tedlar® offers stocked exclusive wallcovering series with new launches each quarter
- USA-manufactured product
- Easy 1,2,3 Custom Design and Color Program
- Type I and Type II Tedlar™ Wallcovering that exceeds Type III durability
 - Stain proof
 - Abrasion resistant
 - Chemical resistant
 - Mold, mildew, bacteria, MRSA, E. coli resistant
 - UV resistant
- Exceeds ASTM E84 Class A Fire Rating

SUSTAINABILITY

- Greenguard Gold IAQ (Indoor Air Quality)
- Greenguard Mold Validated (Does Not Support Mold Growth)
- HPD (Health Product Declaration)
- Produced using water-based, nontoxic ink, and adhesives combined with low VOC emitting films. No heavy metals or ozone-depleting chemicals are used in the manufacturing process.

DuPont™ Tedlar™ Wallcoverings

SPECIFICATIONS

Type II Product Specifications

Type	Tedlar™ Wallcovering - Type II	
Weight	20 oz. / lin. yd.	620.1 g. / lin. m.
Width	52" - 54"	132.08 cm. - 137.16 cm.
Length	30 lin. yd.	27.432 lin. m.
Finish	Tedlar® Film	
Backing	Nonwoven	
Flame Resistance	Passes ASTM E84 Class A	
Stain Resistance	Exceeds Stain Resistance Test CCC-W-408D	
Abrasion Resistance	Meets Type III Abrasion Resistance CCC-W-408D	
Scrubability	Meets Type III Scrubability CCC-W-408D	
Microbial Resistant	Passes ASTM G21 and JIS Z 2801	

Type I Product Specifications

Type	Tedlar™ Wallcovering - Type I	
Weight	15 oz. / lin. yd.	465.1 g. / lin. m.
Width	52" - 54"	132.08 cm. - 137.16 cm.
Length	30 lin. yd.	27.432 lin. m.
Finish	Tedlar® Film	
Backing	Osnaburg	
Flame Resistance	Passes ASTM E84 Class A	
Stain Resistance	Exceeds Stain Resistance Test CCC-W-408D	
Abrasion Resistance	Meets Type III Abrasion Resistance CCC-W-408D	
Scrubability	Meets Type III Scrubability CCC-W-408D	
Microbial Resistant	Passes ASTM G21 and JIS Z 2801	



Keeping it clean and hygienic. WHAT YOU NEED TO KNOW.

Whether it's germs, permanent marker, or chocolate sauce, maintaining pristine walls can be a challenge for some, but not for Endure Walls™ Tedlar™ Wallcoverings. For more than 50 years, DuPont™ Tedlar® PVF technology has been a leader in the industry for protective surfaces and is now applying this proven technology to wallcoverings. With Endure Walls™ Tedlar™ Wallcovering, we have the classic designs you love as well as the cleanability, durability, and affordability you need to maximize your projects and business.

TYPE I AND TYPE II TEDLAR™ WALLCOVERINGS THAT EXCEED TYPE III DURABILITY



- **Bacteria, Mold, and Mildew Resistant.** Tedlar™ Wallcoverings are not degraded by bacteria, mold, or mildew and do not provide nutrients to assist growth. It's so good it's Greenguard Mold validated.
- **Chemical Resistant.** Because Tedlar™ Wallcoverings hold up to bleach, alcohol, and alkalis cleaners, you can disinfect easily. Proven to withstand 30 years in a high-traffic area of a hospital and still look like new.
- **Hygienic.** Tedlar™ Wallcoverings' ability to stand up to the harshest cleaning chemicals means you have easy-to-clean walls that will assist in maintaining a hygienic environment for years to come.
- **Stain Proof.** The chart on the back indicates various stains that are likely to be encountered in high-traffic areas and lists the most effective cleaning agents for easy removal. Repeated heavy cleaning does not affect Tedlar™ Wallcoverings.
- **Indoor Air Quality.** Tedlar™ Wallcoverings are Greenguard Gold IAQ certified. It meets strict chemical emissions limits and has been tested for more than 10,000 chemicals making it perfect for all your projects, including schools and healthcare facilities with sensitive individuals.



Made in the USA.





CAN YOU CLEAN IT? YES YOU CAN.
SEE WHAT IT TAKES.



GENERAL TEDLAR® CLEANABILITY & STAIN REMOVAL INFORMATION

Stain Removal Tests for Vinyl Wall Covering Clad with Tedlar® SP PVF Film.

STAIN AGENT*	CLEANING CATEGORY			
	Dry Cloth	Wet Cloth	Detergent	Solvent
FOOD				
Chocolate syrup		R		
Coffee		R		
Grape juice		R		
Ketchup			R	
Mustard sauce		R		
Red wine		R		
Tea stains		R		
Worcestershire sauce		R		
MARKING				
Ballpoint pen				R
Black crayons			R	
Brown shoe polish			R	
Lipstick			R	
Spray paint				R
White board marker			R	
CHEMICAL				
Acid solutions**	R			
Acetone	R			
Asphalt			R	
Brake fluid		R		
Butanone	R			
Ethyl alcohol	R			
Gasoline	R			
Glycol	R			
Iodine		R		
Mercurochrome			R	
Sodium hydroxide		R		
Toluene	R			
Oily pen (such as ballpoint pen)			R	

R = Required cleaning method

*Staining agents were allowed to set 24 hours prior to cleaning.

**Acid Solutions include: acetic acid, 10% citric acid, 10% nitric acid, 20% hydrochloric acid, and 30% sulfuric acid.

Wallcovering Conversions

COMMERCIAL GOODS (52"/54")

Linear yard = 13.5 sf (4.5' x 3')

Square yard = 9 sf (3' x 3')

Roll = 30 linear yards

Coverage per 30 yard roll = 405 sf

CONVERSIONS (52"/54")

Figuring Square Footage:

- Length of wall multiplied by height of wall

Convert Square Feet to Linear Yards:

- Divide total square footage by 13.5 = Number of yards
- Divide by 12 to include waste or 9 for patterns with large repeats

Convert Square Yards to Linear Yards:

- Multiply square yard quantity by 9, then divide the result by 13.5
- Divide by 12 to include waste or 9 for patterns with large repeats

Convert to Square Yards:

- Divide number of linear yards by 13.5, then multiply result by 9

Convert Linear Feet to Linear Yards:


- Divide number of linear feet by 3 = Number of linear yards

Convert Square Meters to Square Yards:

- 1 square meter = 1.19599 square yards

Price per Square Foot Conversions:

- Divide the price per linear yard by 13.5 = Price per SF
(Use to compare costs to paint or tile that is priced by the square foot.)



HOW TO CALCULATE THE DIMENSIONS OF YOUR WALLS

Calculation for Square Feet to Linear Yards (52"/54" Wide)

1. Multiply width by height of wall = Total square feet (per wall)
2. Repeat Step 1 per wall needing wallcovering
3. Add together total square feet of ALL wall measurements = Total square feet of project
4. Total square feet of project and divide by factor:
13.5 = NO waste/overage
12 = Waste/overage added
9 = Large repeat (18" or larger)
5. Calculation in Step 4 = Total linear yards for project

Dividing Factors for Wallcovering (52"/54" Wide)

1. 13.5 = Total of wallcovering (No overage or waste)
2. 12 = Total of wallcovering (Includes waste)
3. 9 = Total of wallcovering with large repeat (18" or more)

Calculation for Square Meter to Linear Yards (52"/54" Wide)

1. Square meter multiplied by 1.19599 = Total square yards
2. Total square yards multiplied by 9, then divide by factor 12 = Total linear yards (Dividing by factor 12 includes waste)